## Approval of deviations from the fire prevention regulations 2025

Nuremberg, Germany **25. – 26.6.2025** 

## FeuerTrutz 2025

Return to
NürnbergMesse GmbH
Veranstaltungstechnik
Messezentrum
90471 Nürnberg
veranstaltungstechnik@nuernbergmesse.de

Com	nonv.	Hall/Stand
COIII	Daily	Person to contact
Stree	ot	<u>Tel</u>
Posto	code, Town, Country	Fax
Tel	·	Invoice address (only if different)
Fax		
E-Ma	il	
req (in co Info Our s are r (Info	gistration of equipment and installations uiring registration, inspection and approval ompliance with the fire prevention and fire safety regulations, see 4, 4.4 – "Fire prevention and safety regulations".)  stand contains the following equipment or installations which notifiable according to Technical Regulations of NürnbergMesse 4):  ase tick and explain the corresponding deviations in detail)	Inquiries: NürnbergMesse GmbH Team Veranstaltungstechnik Messezentrum 90471 Nürnberg veranstaltungstechnik@nuernbergmesse.de
	Stand with > 30 m² closed ceiling area, partly certified, sprinkler compatible material or alternative measure.	Descriptions and explanation of deviations indicated:
	<b>Decoration material</b> does not comply with <u>at least</u> construction products Class B1 or Euroclass B or C (floorings, wall coverings, decoration, ceiling material, artificial lawns,)	
	Compressed gas cylinders and technical gases (on principle)	
	<b>Actions involving fire hazard</b> (cutting, welding, soldering, grilling, heating, candles, fire gel,)	Fire protection measures at the exhibition stand:
	Exhibits involving fire hazard (ovens, burners, pellets,)	
	Notifiable equipment (laser equipment, x-ray machines)	
	Pyrotechnic demonstrations (fireworks, fog machine,)	
	Synthetic materials (polystyrene, PVC, acrylic glass, films,)	
	Combustible liquids (petrol, oils, fats, alcohols,)	
	Exhaust gas emissions (engines, heating stoves,)	
	Vehicles (on principle)	
	Potentially explosive substances/materials (on principle)	
	Other:	
	Other:	